



SUCITESA

PROFESSIONAL HYGIENE

ArtKraft




personal hygiene -
 Alimentaria - **Higiene alimentaria**
 surfaces - **Nettoyage et désinfection**
 surfaces - **Limpieza y desinfección**
 surfaces - **Floor care - Pavimentos - E**
 Lavandería - **Laundry** - Prod
 ncentrés - **Concentrados - Naturs**
 - **Natursafe Xtra - Hygiène**
 ambientale - **Higiene ambiental - Hi**
 essoal - **Higiene personal**
 - **Higiene alimentaria - Cleanin**
 of surfaces - **Lir**
 de super



ACCESSORIES

Distribution - 2014 - ENG



The best option for Professional Hygiene



Families	Pages
 Environmental hygiene	2
 Personal hygiene	3
 Food industry	6
 Cleaning and disinfection of surfaces	16
 Laundry	18
 Concentrated products	23

Glossary of symbols used in this brochure:

Accessories

DOSIDETER DHA

Hydraulic dosifier. Dishwasher rinse aid.

Ref.technical do 304240

Sale code: 600620



Easy and secure dosage - Connection to the machine maneuver -

Plastic: Polypropylene - Dimensions: 80 x 110 mm -
Flow rate: 0-5 ml - Minimum pressure: 0.3 bar -
Mechanical adjustment - Operational status indicator LED -

1

1 Physical features

Professional Hygiene

All the required accessories for the proper dosing and dispensing of products from the Sucitesa Professional Hygiene catalogue:

- Robust systems designed for frequent use.
- Easily regulated and maintained.
- Attractive designs that fit into any setting.

SUCITESA, a brand of confidence in Personal Hygiene

Environmental hygiene



➤ Accessories: Environmental hygiene



■ FRAGRANCES TESTER

Fragrances tester. Air freshener.



Fragrance selection according to each situation -

Ref.technical do 304960

Sale code: 600678

Includes: - Demonstration strips - 9 different fragrances -

■ AIR-MATIC

Dosing pump. AMBIGEN.



Dosing system for air conditioning pipes - Doses in a controlled manner - Comfortable and practical -

Ref.technical do 304970

Sale code: 600680

Plastic - Color: Green - Timed operation, adjustable - Maximum flow: 3 l/h - Power supply: 220-240 V -

Personal hygiene



Accessories: Personal hygiene



POLIDISP DISINF-DRY CS

Hand wash soap dispenser. Load. Spray.



Easy and hygienic dosage - For liquids -

Ref.technical do 520035

Sale code: 604114

Plastic: ABS - Color: White - Dimensions: 260 x 115 x 120 mm - 800 ml bag - Pulse: 0,25 ml - Manual switch - Safety lock - Wall dispenser -

POLIDISP DISINF-DRY DS

Hand wash soap dispenser. Tank. Spray.



Easy and hygienic dosage - For liquids -

Ref.technical do 520037

Sale code: 604132

Plastic: ABS - Color: White - Dimensions: 260 x 115 x 120 mm - 850 ml tank - Pulse: 0,25 ml - Manual switch - Safety lock - Wall dispenser -

POLIDISP DG

Hand wash soap dispenser. Tank. Gel.



Easy and hygienic dosage - For soaps, gels and creams - Easy filling and interior cleaning -

POLIDISP SOAP DG

Ref.technical do 520032

Sale code: 604111

White - Plastic: ABS - Dimensions: 260 x 115 x 120 mm - 850 ml tank - Pulse: 1,5 ml - Manual switch - Refillable tank - Safety lock - Wall dispenser -

POLIDISP DISINF-WATER DG

Ref.technical do 520046

Sale code: 604141

White - Plastic: ABS - Dimensions: 260 x 115 x 120 mm - 850 ml tank - Pulse: 1,5 ml - Manual switch - Refillable tank - Safety lock - Wall dispenser -

POLIDISP SANI-DRY DG

Ref.technical do 520047

Sale code: 604140

White - Plastic: ABS - Dimensions: 260 x 115 x 120 mm - 850 ml tank - Pulse: 1,5 ml - Manual switch - Refillable tank - Safety lock - Wall dispenser -

POLIDISP INDUSTRIAL DG

Ref.technical do 520048

Sale code: 604142

White - Plastic: ABS - Dimensions: 260 x 115 x 120 mm - 850 ml bag - Pulse: 1,5 ml - Manual switch - Refillable tank - Safety lock - Wall dispenser -

POLIDISP CG

Hand wash soap dispenser. Load. Gel.



Easy and hygienic dosage - For soaps, gels and creams -

POLIDISP CARE CG

Ref.technical do 520033

Sale code: 604112

White - Plastic: ABS - Dimensions: 260 x 115 x 120 mm - 800 ml bag - Pulse: 1,5 ml - Manual switch - Safety lock - Wall dispenser -

POLIDISP SANI-DRY CG

Ref.technical do 520041

Sale code: 604136

White - Plastic: ABS - Dimensions: 260 x 115 x 120 mm - 800 ml bag - Pulse: 1,5 ml - Manual switch - Safety lock - Wall dispenser -

POLIDISP SANI-WATER CG

Ref.technical do 520042

Sale code: 604118

White - Plastic: ABS - Dimensions: 260 x 115 x 120 mm - 800 ml bag - Pulse: 1,5 ml - Manual switch - Safety lock - Wall dispenser -

POLIDISP SOAP CG

Ref.technical do 520043

Sale code: 604137

White - Plastic: ABS - Dimensions: 260 x 115 x 120 mm - 800 ml bag - Pulse: 1,5 ml - Manual switch - Safety lock - Wall dispenser -

POLIDISP DISINF-WATER CG

Ref.technical do 520045

Sale code: 604139

White - Plastic: ABS - Dimensions: 260 x 115 x 120 mm - 800 ml bag - Pulse: 1,5 ml - Manual switch - Safety lock - Wall dispenser -

Accessories: Personal hygiene



■ POLIDISP CF

Hand wash soap dispenser. Load. Foam.



Easy and hygienic dosage - For liquids -

- **POLIDISP DISINF-WATER CF** Ref.technical do 520034 Sale code: 604113
White - Plastic: ABS - Dimensions: 260 x 115 x 120 mm - 800 ml bag - Pulse: 0,75 ml - Manual switch - Safety lock - Wall dispenser -
- **POLIDISP DELICATE CF** Ref.technical do 520040 Sale code: 604135
White - Plastic: ABS - Dimensions: 260 x 115 x 120 mm - 800 ml bag - Pulse: 0,75 ml - Manual switch - Safety lock - Wall dispenser -
- **POLIDISP SOAP CF** Ref.technical do 520044 Sale code: 604138
White - Plastic: ABS - Dimensions: 260 x 115 x 120 mm - 800 ml bag - Pulse: 0,75 ml - Manual switch - Safety lock - Wall dispenser -

■ GELMATIC

Hand wash soap dispenser. Automatic. Gel.



Easy and hygienic dosage - For soaps, gels and creams - Easy filling and interior cleaning -

Ref.technical do 302872 Sale code: 600523

Plastic: ABS - Color: White - Dimensions: 140 x 225 x 90 mm - Capacity: 1 l - Pulse: 2 ml - Presence detector - Power supply: Batteries - Refillable tank - Safety lock - Wall dispenser -

■ SPRAYMATIC

Hand wash soap dispenser. Automatic. Spray.



Easy and hygienic dosage - For liquids - For hydroalcoholic lotions -

Ref.technical do 302874 Sale code: 600524

Plastic: ABS - Color: White - Dimensions: 140 x 225 x 90 mm - Capacity: 1 l - Pulse: 2 ml - Presence detector - Power supply: Batteries - Refillable tank - Safety lock - Wall dispenser -

■ DOSIFICADOR CREMAS

Dosing accessory. Hand wash.



Easy and hygienic dosage - For creams and pastes -

- **DOSIFICADOR CREMAS BP 25** Ref.technical do 302230 Sale code: 600470
Plastic - For 25 l cylinder - Pulse: 6 ml - Manual switch -
- **DOSIFICADOR CREMAS BP 5** Ref.technical do 302690 Sale code: 600510
Plastic - For 5 l cylinder - Pulse: 6 ml - Manual switch -

■ DOSIFICADOR GEL

Dosing accessory. Hand wash.



Easy and hygienic dosage - For gels -

- **DOSIFICADOR GEL 3 ML BP 5** Ref.technical do 304039 Sale code: 600566
Plastic - For 5 l cylinder - Pulse: 3 ml - Manual switch -
- **DOSIFICADOR GEL 3 ML BP 25** Ref.technical do 304109 Sale code: 600616
Plastic - For 25 l cylinder - Pulse: 3 ml - Manual switch -

■ ETIQUETA HIGIENE MANOS OMS

WHO hand hygiene label.



Shows hand-hygiene techniques - According to World Health Organization -

Ref.technical do 301550 Sale code: 600466

Dimensions: 150 x 250 mm - Self-adhesive -

➤ Accessories: Comfort Line



■ SOPORTE COMFORT FIX

Ref.technical do 520059

Sale code: 604284

Wall holder.



Fixes the can to the wall - Small size and easy installation using double-sided tape or screws - Manufactured in high quality plastic and resistance -

Plastic - Color: White -

Food industry



➤ Portable laboratory: Analysis kits and accessories



■ LABORATORIO PORTÁTIL

Laboratory. Portable.



Equipments, reagents and instructions for tests - Permits analysis of a range of current settings in any installation -

Ref.technical do 304310

Sale code: 600622

■ TERMOMETRO LAB.PORTÁTIL

Thermometer. Portable.



Determination of temperature -

Ref.technical do 304600

Sale code: 600665

Temperature range: -50 / +150 °C -

■ CONDUCTIMETRO LAB.PORTÁTIL

Conductivity-metre. Portable.



Determination of conductivity -

Ref.technical do 304610

Sale code: 600666

■ CINTA pH LAB.PORTÁTIL

pH indicator.



Universal paper indicator of pH -

Ref.technical do 304620

Sale code: 600667

pH range: 1 - 11 - Length: 5 mts -

■ KIT DUREZA LAB.PORTÁTIL

Kit. Total hardness test.



Analysis of presence of calcium and magnesium ions in the water -

Ref.technical do 304630

Sale code: 600668

No. tests: 50 -

▶ Portable laboratory: Analysis kits and accessories



■ KIT CLORO LAB.PORTÁTIL

Kit. Free chlorine test.



Analysis of chlorine presence in the water -

No. tests: 140 -

Ref.technical do 304640

Sale code: 600669

■ FENOLFTALEINA LAB.PORTÁTIL

Kit. Alkalinity indicator.



Changes color depending on the pH - pH 0-8: colorless. pH 8-12: Pink - Detects alkaline residues on samples and surfaces -

Phenolphthalein 0.1% -

Ref.technical do 304650

Sale code: 600670

■ YODO LAB.PORTÁTIL

Kit. Starch indicator.



Changes color in presence of starch - It turns blue/violet - Detects starch residues on surfaces -

Iodine 2% -

Ref.technical do 304660

Sale code: 600671

■ VASO PRECIPITADOS LAB.PORTÁTIL

Graduated beaker.



Sample pick up -

Plastic: Polypropylene - Color: transparent - Capacity: 250 ml -

Ref.technical do 304670

Sale code: 600672

▶ SANIPLAN: Analysis test kits and accessories



■ SOPORTE METACRILATO

Wall holder. SANIPLAN.



Fixes SANIPLAN documentation on the wall -

Methacrylate - Color: transparent - Dimensions: 220 x 350 mm -

Ref.technical do 304040

Sale code: 600567

■ KIT CLORO DV

Kit. Free chlorine test. Strips.




Analysis of chlorine presence in the water -

No. reactive strips: 100 - Range: 0-500 mg Cl/l -

Ref.technical do 304071

Sale code: 600589

➤ SANIPLAN: Analysis test kits and accessories



■ KIT GERMENES 20 ENSAYOS

Kit. Bacteria determination.

Ref.technical do 304740

Sale code: 600675



Control of microbiological hygiene on surfaces -

No. vials: 10 - No. agar surfaces: 20 -

■ ESTUFA CULTIVO

Heated Incubator.

Ref.technical do 304760

Sale code: 600677



Maintains the temperature during incubation of agar surface -

Temperature range: 25 - 45 °C - Capacity: 18 capsules -

■ KIT PROTEINAS 50 ENSAYOS

Kit. Protein determination.

Ref.technical do 304750

Sale code: 600676



Control of food residues on surfaces -

No. tests: 50 -

■ TIRAS KIT ACEITE 20 ENSAYOS

Kit. Frying oil quality. Strips.

Ref.technical do 304720

Sale code: 600673



Strips to get oil sample - Determination of de quality of the oil used to fry - Must be used together with the fritter oil kit -

No. reactive strips: 20 -

■ KIT ACEITE FRITURA 20 ENSAYOS

Kit. Frying oil quality. Equipment.

Ref.technical do 304730

Sale code: 600674



Determination of de quality of the oil used to fry - Must be used together with the test strips -

Auto-adjustable temperature: 171 °C - Cycle duration: 35 min / test - Power supply: 220-240 V -

➤ Accessories: Food hygiene



■ DOSIFICADOR PULSAR

Dosing pump. Hand dishwashing detergent.

Ref.technical do 302595

Sale code: 600505



Precise and reliable dosage -

Plastic - Color: Grey - Dimensions: 170 x 140 mm - Manual switch - Pulse: 15-22-30 ml (adjustable) -



■ **DOSIFICADOR 30 ML BP 5**

Dosing accessory. Gels.



Easy and secure dosage -

Ref.technical do 304038

Sale code: 600565

Plastic: Polypropylene - Dimensions: 121 x 380 mm - For 5 l cylinder - Pulse: 30 ml - Manual switch -

■ **DOSIDETER PR DETERGENTE**

Peristaltic dosifier. Dishwasher detergent.



Easy and secure dosage - Connection to the machine maneuver - Includes peristaltic tube (spare-part) -

Ref.technical do 305110

Sale code: 600709

Plastic: PVC - PP - Color: Green - Maximum flow: 5 l/h - Maximum -pressure: 0,1 bar - Peristaltic tube material: santoprene - Connection tube: 4 x 6 mm - Power supply: 230 Vac - 50/60 Hz - Protection : IP 65 - Pump body material: green PP -

■ **DOSIDETER PR/24V DETERGENTE**

Peristaltic dosifier. Detergent.



Easy and secure dosage - Connection to the machine maneuver - Includes peristaltic tube (spare-part) -

Ref.technical do 305112

Sale code: 600710

Dimensions: 100 x 80 x 80 mm - Maximum flow: 4,2 l/h - Minimum pressure: 1 bar - Power supply: 24 V - Mechanical adjustment -

■ **DOSIDETER PR/2V DETERGENTE**

Peristaltic dosifier. Detergent.



Easy and secure dosage - Connection to the machine maneuver - Includes peristaltic tube (spare-part) -

Ref.technical do 305118

Sale code: 600713

Dimensions: 100 x 80 x 80 mm - Maximum flow: 7,2 l/h - Minimum pressure: 1 bar - Power supply: 90-265 V - No. conduits: 4 / Electrovalves: 2 -

■ **DOSIDETER DHA**

Hydraulic dosifier. Dishwasher rinse aid.



Easy and secure dosage - Connection to the machine maneuver -

Ref.technical do 304240

Sale code: 600620

Plastic: Polypropylene - Dimensions: 80 x 110 mm - Flow rate: 0-5 ml - Minimum pressure: 0.3 bar - Mechanical adjustment - Operational status indicator LED -

■ **DOSIDETER EM ABRILLANTADOR**

Electronic dosifier. Dishwasher rinse aid.



Easy and secure dosage - Connection to the machine maneuver -

Ref.technical do 305106

Sale code: 600707

Plastic: Polypropylene - Dimensions: 100 x 80 x 80 mm - Maximum flow: 2 l/h - Minimum pressure: 7 bar - Power supply: 90-265 V -

■ **DOSIDETER PR ABRILLANTADOR**

Peristaltic dosifier. Dishwasher rinse aid.



Easy and secure dosage - Connection to the machine maneuver - Includes peristaltic tube (spare-part) -

Ref.technical do 305114

Sale code: 600711

Plastic: PVC - PP - Color: Green - Maximum flow: 1 l/h - Maximum -pressure: 4 bar - Peristaltic tube material: silicone - Connection tube: 4 x 6 mm - Power supply: 230 Vac - 50/60 Hz - Protection : IP 65 - Pump body material: green PP -



■ **DOSIDETER PR/24V ABRILLANTADOR**

Peristaltic dosifier. Polish.

Ref.technical do 305116

Sale code: 600712



Easy and secure dosage - Connection to the machine maneuver - Includes peristaltic tube (spare-part) -

Plastic: Polypropylene - Dimensions: 100 x 80 x 80 mm - Maximum flow: 1.2 l/h - Minimum pressure: 3 bar - Power supply: 24 V - Mechanical adjustment -

■ **DOSIDETER PR/EM DOBLE**

Peristaltic-electromagnetic dosifier. Tunnel.

Ref.technical do 305122

Sale code: 600715



Easy and secure dosage - Connection to the machine maneuver - Product dosage control -

Dimensions: 195 x 110 x 160 - Deterg. flow rate: 0.5-7.2 l/h (1 bar) - Rinse aid flow rate: 0-2 l/h (7 bar) - Power supply: 230 V -

■ **SANIMIX 100 FOAMER**

Foaming equipment. Portable.

Ref.technical do 304060

Sale code: 600583



Automatic product dilution - Foaming valve - Allows for subsesquent rinsing with water -

Color: Blue-White - Nozzle: product specific - Mains water connection - Minimum pressure: 1,5 bar - Doses 1 product -

■ **SANIMIX 600**

Sprinkling equipment.

Ref.technical do 304531

Sale code: 600650



Automatic product dilution - Spray valve - Facilitates cleaning, rinsing and disinfection -

Color: White - Nozzle: product specific - Mains water connection - Water pressure: 1.5-8 bar - Doses 1 product - Individual equipment -

■ **SANIMIX 600-AC**

Sprinkling equipment. Acid products.

Ref.technical do 304556

Sale code: 600663



Automatic product dilution - Spray valve - Facilitates cleaning, rinsing and disinfection -

Color: White - Nozzle: product specific - Mains water connection - Water pressure: 1.5-8 bar - Doses 1 product - Specially for acidic products -

■ **SANIMIX 200 - 300**

Foaming-spray equipment.



Automatic product dilution - Spray/Foaming valve - Allows for subsesquent rinsing with water -

■ **SANIMIX 200**

Ref.technical do 304526

Sale code: 600646

Blue-White - Dimensions: 45 x 38 x 28 cm - Nozzle: product specific - Mains water connection - Water pressure: 2-5 bar - Doses 1 product -

■ **SANIMIX 300**

Ref.technical do 304527

Sale code: 600647

Blue-White - Dimensions: 45 x 38 x 28 cm - Nozzle: product specific - Mains water connection - Water pressure: 2-5 bar - Doses 2 products -



■ **SANIMIX 700**

Foaming-spray equipment.



Automatic product dilution -
Spray/Foaming valve - Allows for
subsequent rinsing with water -

- **SANIMIX 700** Ref.technical do 305075 Sale code: 600695
Grey - Dimensions: 85 x 435 x 475 mm - Dosage system - Compressed air - Nozzle: product specific - Mains water connection - Water pressure: 2-5 bar - Doses 2 products -
- **SANIMIX 700 MOVIL** Ref.technical do 305206 Sale code: 600757
Grey - Dimensions: 600 x 1100 x 700 mm - Mobile equipment - Compressed air - Nozzle: product specific - Mains water connection - Water pressure: 2-5 bar - Doses 2 products -
- **SANIMIX 700 MOVIL + COMPRESOR** Ref.technical do 305208 Sale code: 600758
Grey - Dimensions: 600 x 1100 x 700 mm - Equipment + Cart + Compressor - Nozzle: product specific - Mains water connection - Water pressure: 2-5 bar - Doses 2 products -

■ **EQUIPO LIMPIEZA CENTRIFUGAS**

Cleaning equipment. Vertical centrifuges.



Automatic product dilution - Easy and secure
application - Comes mounted on a trolley -

Ref.technical do 305210 Sale code: 600759

Dimensions: 1400 x 600 x 1100 mm - Nozzle: product specific - 120 l tank - Pump flow rate: 1-4.8 m3/hour - Portable -

■ **EQ.DESINCRUST.CIRCUITO CERRADO**

Descaler equipment. Circuits and pipes.



Automatic product dilution - Easy and secure
application - Comes mounted on a trolley -

Ref.technical do 305212 Sale code: 600760

Dimensions: 1400 x 600 x 1100 mm - Nozzle: product specific - 120 l tank - Pump flow rate: 1-4.8 m3/hour - Portable -

■ **DOSIFICADOR ANTICORROSIVO BPA5**

Dosing accessory. Corrosive liquids.



Easy and secure dosage - Great chemical resistance -

Ref.technical do 304069 Sale code: 600588

Plastic: Polypropylene - Color: White -
Dimensions: 121 x 380 mm - Screw threads : Ø=55 mm - For blue 5 l cylinder - Pulse: 10 ml - Manual switch -

■ **DILUIDOR AQUAGEN DV**

Industrial diluter. Chlorinated liquid.



Safe and comfortable dosage - Ready to use
dilution - -

Ref.technical do 520052 Sale code: 604193

Dimensions: 130 x 220 x 120 mm - Maximum temperature: 70 °C - Flow rate: 16 l/min - Dosage: 0.25 % - Manual switch -



ADAPTADOR BOMBA 2 EV

Connector. Dosing pump - Dishwashing machine.

Ref.technical do 304260

Sale code: 600621



Connection: peristaltic pump-Dishwashing machine with 2 electrovalves -

Color: Black - Power supply: 220-240 V -

RACOR DETERGENTE

Injection fitting. Detergent.

Ref.technical do 305162

Sale code: 600735



Injects the detergent in the pump aspiration - Suitable for low flow rate pumps -

Stainless steel. - Connection: 4 x 6 mm tube - High chemical resistance -

RACOR ABRILLANTADOR

Injection fitting. Polish.

Ref.technical do 305164

Sale code: 600736



Injects the brightener in the pump aspiration - Suitable for low flow rate pumps -

Stainless steel. - Connection: 4 x 6 mm tube -

FILTRO DE FONDO

Bottom Filter. Dosing pump.

Ref.technical do 305166

Sale code: 600737



Prevents liquid impurities from penetrating the equipment -

Stainless steel. - Connection: 4 x 6 mm tube - High chemical resistance -

T DE INYECCION ABRILLANTADOR

Connector. Dosing pump - Dishwashing machine.

Ref.technical do 305168

Sale code: 600738



Connection: Anti-return brightener -Dishwashing machine (boiler hose-pipe) -

Plastic: Polypropylene - Color: Black - High chemical resistance -

PERISTALTICO DETERGENTE

Flexible hose with connectors.

Ref.technical do 305170

Sale code: 600739



Spare dosing pump - Dishwashing machines - Suitable for low flow rate pumps -

Santoprene (for detergent) - Color: White - High chemical resistance - Connection: 4 x 6 mm tube -

PERISTALTICO ABRILLANTADOR

Flexible hose with connectors.

Ref.technical do 305172

Sale code: 600740



Spare dosing pump - Dishwashing machines - Suitable for low flow rate pumps -

Silicone (for polish) - Color: transparent - High chemical resistance - Connection: 4 x 6 mm tube -



■ **TUBO PVC 4 X 6 (25 M)**

Tube.



Conduction of liquids - Great chemical resistance - Suitable for low flow rate pumps -

Plastic: PVC - Dimensions: Øint=4 / Øext=6 mm - Metres: 25 -

Ref.technical do 305174

Sale code: 600741

■ **TUBO POLIPROPILENO 4 X 6 (25M)**

Tube.



Conduction of liquids - Great chemical resistance - Suitable for low flow rate pumps -

Plastic: Polypropylene - Dimensions: Øint=4 / Øext=6 mm - Metres: 25 -

Ref.technical do 305176

Sale code: 600742

■ **RACOR PORTA GOMA ABRILLANTADOR**

Rubber holder connector. Polish.



Connection: Anti-return brightener -Dishwashing machine (boiler hose-pipe) -

Plastic: Polypropylene -

Ref.technical do 305230

Sale code: 600771

■ **SAC 013**

Spray-Gun with fast connection. SANIMIX 100.



- Connection between the spear and the hose-pipe -

Color: Blue - Gaskets: EPDM -

Ref.technical do 304013

Sale code: 600544

■ **SAC 011**

Foaming lance. SANIMIX 100 FOAMER.



Automatic product dilution - Resistant to chemical agents - Resistant to chemical agents -

Plastic: PVC - Color: Blue - Nozzle: product specific - Water pressure: 3 bar -

Ref.technical do 304015

Sale code: 600545

■ **SAC 015**

Tank. SANIMIX 100.



Container to store liquids -

Plastic: Polyethylene - Capacity: 1 l -

Ref.technical do 304017

Sale code: 600546

■ **SAC 021**

Hose. SANIMIX 100.



Connection: Dosage system-Water pipe - Quick connect couplings - Food industry quality -

Color: Blue - Dimensions: 12,5 m - Connection coupling -

Ref.technical do 304098

Sale code: 600612



SAC 022

Rinse lance. SANIMIX 100.



Final rinsing with water -

Ref.technical do 304099

Sale code: 600613

Color: Blue - Connection coupling - Nozzle: flat jet -

SAC 008

Holder. SANIMIX 100.



Support for the hose and the sprinkling equipment -

Ref.technical do 304514

Sale code: 600643

Stainless steel. -

SAC 017

Suction tube. With filter.



Flexible tube with filter - Great chemical resistance -

Ref.technical do 304019

Sale code: 600548

Plastic: PVC - Dimensions: 1 m - Øint=5 / Øext=7mm -

SAC 006/S

Spray-Triggrer. SANIMIX 200 and 300.



Sprinkled with product - Final rinsing with water - Use with SANIMIX 200 and SANIMIX 300 -

Ref.technical do 304021

Sale code: 600550

Color: Blue - Quick connect couplings -

SAC 006/T

Foam trap. SANIMIX 200 and 300.



Foaming valve - Final rinsing with water - Use with SANIMIX 200 and SANIMIX 300 -

Ref.technical do 304022

Sale code: 600551

Quick connect couplings -

SAC 006

Spray-Gun with fast connection. SANIMIX 200 and 300.



Foaming valve - Final rinsing with water - Use with SANIMIX 200 and SANIMIX 300 -

Ref.technical do 304543

Sale code: 600659

Quick connect couplings -

SAC 007

Foaming lance. Compressed air.



Foaming valve -

Ref.technical do 304544

Sale code: 600660

Dimensions: 85 cm - Quick connect couplings -



SAC 019

Kit. SANIMIX calibrated nozzle.



Dilution of liquid products - Colours according to calibre -

Plastic: Polyethylene - No. nozzles: 13 -

Ref.technical do 304023

Sale code: 600552

SAC 003/25

Hose. SANIMIX 600.



Connection: Dispenser-Pulverizing spear - Quick connect couplings -

Color: Black - Dimensions: 25 m - High chemical resistance - Connection coupling - Pressure: 25 bar -

Ref.technical do 304538

Sale code: 600655

SAC 005/2

Lance with qun. SANIMIX 600.



Product pulverization on a surface -

Stainless steel. - Dimensions: 110 cm -

Ref.technical do 304541

Sale code: 600657

SAC 020/20

Hose. SANIMIX 400 - 500 - 700.



Connection: Dosage system - Compressed air - Quick connect couplings -

Color: Blue - Dimensions: 20 m - High chemical resistance - Connection coupling - Maximum temperature: 70 °C - Pressure: 20 bar -

Ref.technical do 304024

Sale code: 600553

VENTURI 1 PRODUCTO

Foaming products dilution.



Sucks up the product due to Ventury effect, mixing it with the water - Selector to dose water or diluted product -

High chemical resistance - No. products: 1. SANIMIX 200 accessory -

Ref.technical do 304096

Sale code: 600610


Cleaning and disinfection of surfaces



▶ Accessories: Cleaning and disinfection of surfaces




■ POLIDISP SANIX Ref.technical do 520039 Sale code: 604134
 Dispenser. Load. Spray.



Easy and hygienic dosage - For liquids -

Plastic: ABS - Color: White - Dimensions: 260 x 115 x 120 mm - 800 ml bag - Pulse: 0,25 ml - Manual switch - Safety lock - Wall dispenser -


■ SANIMATIC
 Dispenser. WC bacteriostatic.



Precise and reliable dosage - Easy filling and interior cleaning - Use prevents calcium, scale and rust stains on toilets and urinals -

- SANIMATIC CP** Ref.technical do 304085 Sale code: 600599
 White - Plastic: ABS - Dimensions: 115 x 230 x 77 mm - Capacity: 720 ml - Connection: Flexible polyethylene - Refillable tank - Safety lock - Wall dispenser -
- SANIMATIC CM** Ref.technical do 304086 Sale code: 600600
 White - Plastic: ABS - Dimensions: 115 x 230 x 77 mm - Capacity: 720 ml - Connection: Stainless steel - Refillable tank - Safety lock - Wall dispenser -

■ KIT AROMAS SANIMATIC Ref.technical do 304965 Sale code: 600679
 Fragrances tester. WC bacteriostatic.



Fragrance selection according to each situation -

Includes: - Demonstration strips - TRIBAC -F sample -

➤ Spare parts: Cleaning and disinfection of surfaces



■ TAPA SANIBOX


Lid. Sanitary container.

Ref.technical do 304057

Sale code: 600582



Lid of the SANI-BOX sanitary container -



■ RECAMBIO MECHAS SANIMATIC


Dosing filament. Spare.

Ref.technical do 304079

Sale code: 600596



Dosifier for SANIMATIC dispensers -



■ KIT ACCESORIOS SANIMATIC

SANIMATIC connector.



Complete connection kit - SANIMATIC dispensers -

■ KIT ACCESORIOS SANIMATIC CP

Connection: Plastic -

Ref.technical do 304082

Sale code: 600597

■ KIT ACCESORIOS SANIMATIC CM

Connection: Metal -

Ref.technical do 304083

Sale code: 600598

Laundry



Accessories: Laundry



LAVAMATIC ADITIVOS

Peristaltic pump. Laundry products.

Ref.technical do 305132

Sale code: 600720



Liquid dosage - Precise and secure - Machine capacity: 7 - 18 Kg -

Programmable dosage - Flow rate 18 l/h -

LAVAMATIC 18 L/H

Peristaltic dosage equipment. Laundry products.



Liquid dosage - Precise and secure - Machine capacity: 7 - 18 Kg -

LAVAMATIC 4X18 L/H

Ref.technical do 305134

Sale code: 600721

Plastic: ABS - Programmable dosage - No. pumps: 4 - Flow rate 18 l/h - Power supply: 90-265 V -

LAVAMATIC 5X18 L/H

Ref.technical do 305136

Sale code: 600722

Plastic: ABS - Programmable dosage - No. pumps: 5 - Flow rate 18 l/h - Power supply: 90-265 V -

LAVAMATIC 6X18 L/H

Ref.technical do 305138

Sale code: 600723

Plastic: ABS - Programmable dosage - No. pumps: 6 - Flow rate 18 l/h - Power supply: 90-265 V -

LAVAMATIC 7 X 18 L/H

Ref.technical do 305298

Sale code: 602950

Plastic: ABS - Programmable dosage - No. pumps: 7 - Flow rate 18 l/h - Power supply: 90-265 V -

LAVAMATIC 30/60/90 L/H

Peristaltic dosage equipment. Laundry products.



Liquid dosage - Precise and secure - Machine capacity: 18 - 50 Kg -

LAVAMATIC 4X30/60/90 L/H

Ref.technical do 305146

Sale code: 600727

Programmable dosage - No. pumps: 4 - Variable flow rate -

LAVAMATIC 5X30/60/90 L/H

Ref.technical do 305148

Sale code: 600728

Programmable dosage - No. pumps: 5 - Variable flow rate -

LAVAMATIC 6X30/60/90 L/H

Ref.technical do 305150

Sale code: 600729

Programmable dosage - No. pumps: 6 - Variable flow rate -

LAVAMATIC 18/30/60 L/H

Peristaltic dosage equipment. Laundry products.



Liquid dosage - Precise and secure - Machine capacity: 7 - 18 Kg -

LAVAMATIC 4X18/30/60 L/H

Ref.technical do 305140

Sale code: 600724

Programmable dosage - No. pumps: 2 - Flow rate 18 l/h - No. pumps: 2 - Flow rate 30/60 l/h - Power supply: 90-265 V -

LAVAMATIC 5X18/30/60 L/H

Ref.technical do 305142

Sale code: 600725

Programmable dosage - No. pumps: 3 - Flow rate 18 l/h - No. pumps: 2 - Flow rate 30/60 l/h - Power supply: 90-265 V -

LAVAMATIC 6X18/30/60 L/H

Ref.technical do 305144

Sale code: 600726

Programmable dosage - No. pumps: 4 - Flow rate 18 l/h - No. pumps: 2 - Flow rate 30/60 l/h - Power supply: 90-265 V -

LAVAMATIC 7X18/30/60 L/H

Ref.technical do 305300

Sale code: 602951

Plastic: ABS - Programmable dosage - No. pumps: 5 - Flow rate 18 l/h - No. pumps: 2 - Flow rate 30/60 l/h - Power supply: 90-265 V -

LAVAMATIC 3 X 18/30/60 L/H

Ref.technical do 305306

Sale code: 602956

Plastic: ABS - Programmable dosage - No. pumps: 2 - Flow rate 18 l/h - No. pumps: 1 - Flow rate 30/60 l/h - Power supply: 90-265 V -

Accessories: Laundry



CONJ.COMPL. PREDISOL.

Predilution equipment. Laundry products.



Pre-solution of solid products - Secure and precise dosage - For industrial laundries -

- **CONJ.COMPL. PREDISOL. 500L+BOM** Ref.technical do 305160 Sale code: 600734
Plastic: Polyethylene - Programmable dosage - 50+C1330 l tank -
- **CONJ.COMPL.PREDISOL. 1000L+BOM** Ref.technical do 305228 Sale code: 600770
Plastic: Polyethylene - Programmable dosage - 1000 l tank -

JARRA LAVANDERIA

Dosing accessory. Laundry products.



Manual dosage - Easy and precise -

- **JARRA LAVANDERIA 1000** Ref.technical do 302560 Sale code: 600503
Plastic: Polypropylene - Graduated - Capacity: 1 l -
- **JARRA LAVANDERIA 500** Ref.technical do 302570 Sale code: 600504
Plastic: Polypropylene - Graduated - Capacity: 500 ml -

Spare parts: Laundry



COLECTOR ARRASTRE AGUA

Collector. Product dosifier.



Dragging of the products to the machine - Without mix - Easy and secure dosage -

- **COLECTOR ARRASTRE AGUA 4P** Ref.technical do 305222 Sale code: 600767
Black - Plastic: PVC - No. products: 4 -
- **COLECTOR ARRASTRE AGUA 6P** Ref.technical do 305224 Sale code: 600768
Black - Plastic: PVC - No. products: 6 -
- **COLECTOR ARRASTRE AGUA 5 P** Ref.technical do 305256 Sale code: 600784
Black - Plastic: PVC - No. products: 5 -
- **COLECTOR ARRASTE AGUA 7P** Ref.technical do 305302 Sale code: 602952
Black - Plastic: PVC - No. products: 7 -
- **COLECTOR ARRASTRE AGUA 3P** Ref.technical do 305308 Sale code: 602957
Black - Plastic: PVC - No. products: 3 -

EQUIPO DE CONEXION USB

Cable. Connection Sign box - Laundry equipment.



Turns Series signals into RS 485 signals -

Ref.technical do 305188 Sale code: 600748

PC connection: USB - Doser connection: Minidin 8 -



■ CABLE UTP 8 VIAS (25 M)

Cable. Connection PC - Dosing system.

Ref.technical do 305190

Sale code: 600749



Communication for laundry multimachine systems -

■ SELECTOR FORMULAS MULTIMAQUINA

Formula selector.

Ref.technical do 305192

Sale code: 600750



Washing program selector - Equipments without automatic recognition -

Plastic: Polypropylene - Color: Blue - Display: LCD - Multi-machine system -

■ SELEC.FORMULA EQUIP.INDIVIDUAL

Formula selector.

Ref.technical do 305194

Sale code: 600751



Washing program selector - Equipments without automatic recognition -

Plastic: Polypropylene - Color: Blue - Display: LCD - Individual equipment -

■ CAÑA ASPIRACION 1 PRODUCTO

Transfer of liquid. Container - Liquid transfer .

Ref.technical do 305196

Sale code: 600752



Sucks up the liquid from the can and supplies it to the machine -

Plastic: PVC - Dimensions: Ø=60 x 480 mm - No-return ball valve -

■ TUBO TRENZADO 12 X 18 (25 M)

Tube. Plaited.

Ref.technical do 305180

Sale code: 600744



Conduction of liquids and pneumatic - Suitable for high flow rate pumps -

Plastic: PVC - Color: transparent - Dimensions: 25 m - Øint=12 / Øext=18 mm - Maximum -pressure: 12 bar - Textile reinforcement: Polyester -

■ TUBO PVC 8 X 12 (25 M)

Tube.

Ref.technical do 305182

Sale code: 600745



Conduction of liquids - Suitable for high flow rate pumps -

Plastic: PVC - Color: transparent - Dimensions: 25 m - Øint=8 / Øext=12 mm - Pressure: 7 bar -

■ CAÑA ASP. (SONDA) 3P

Tube. LAVAMATIC.

Ref.technical do 305264

Sale code: 600788



Three suction tubes with no-return valve - Allows product to be supplied via dosing equipment - Features minimum level sensor -

Plastic: PVC - Color: Blue - Dimensions: Ø 60 x 450 mm -



TUBO MEMBRANA 60-90
Peristaltic tube. LAVAMATIC.

Ref.technical do 305290 Sale code: 602934



Suitable for high flow rate pumps - Great chemical resistance -

EPDM - Color: Black - Dimensions: 10 x 16 mm - Connection: 8 x 12 mm tube -

TUBO EPDM 16 L
Peristaltic tube. LAVAMATIC.

Ref.technical do 305292 Sale code: 602935



Suitable for low flow rate pumps - Great chemical resistance -

EPDM - Color: Black - Dimensions: 6 x 10 mm - Connection: 8 x 12 mm tube -

TUBO MEMBRANA TF
Peristaltic tube. LAVAMATIC.

Ref.technical do 305310 Sale code: 602959



Suitable for low flow rate pumps - Specifically for dosing products with tensoactive agents -

Color: White/Yellow - Dimensions: 6 x 10 mm - Connection: 8 x 12 mm tube -

CONTROL DE NIVEL 10 SN
Accessor. LAVAMATIC.

Ref.technical do 305266 Sale code: 600789



Alarm centre with warning sound -

Dimensions: 180 x 135 x 88 mm -

KIT REGULADOR CAUDAL + FILTRO
Accessor. LAVAMATIC.

Ref.technical do 305294 Sale code: 602940



Pressure regulator - Keeps water flow and pressure constant -

Iron and brass - Connection: Ø 12 mm - Pressure: 0.2 - 4 bar - Wall anchor support -

ANTIRETORN.COLECTOR LAVAMATIC
Anti-return. LAVAMATIC.

Ref.technical do 305304 Sale code: 602955



Prevents liquid from returning to the pumps -

Plastic: Polypropylene - Connection: 8 x 12 mm tube -

JUEGO ETIQ.ADH.PEQ.LAVAMATIC
Set of labels. Diluter equipment.

Ref.technical do 520029 Sale code: 603690



For identification of the dilution equipment -

Non-applicable - Color: Non-applicable - Dimensions: 39 x 31 mm - Self-adhesive -



MANGUERA SEÑAL 7 X 1 (25 M)

Ref.technical do 305184

Sale code: 600746

Conductor cable. Signal.



Electric transmission: Laundry signals-Dosing equipments -

Dimensions: 25 m - 7 x 1 mm2 - Maximum voltage: 1000 V -

MANGUERA ALIMENT. 3x1,5 (25M)

Ref.technical do 305186

Sale code: 600747

Conductor cable. Food.



Electric power for laundry automatic dosing equipment -

Dimensions: 25 m - 3 x 1,5 mm2 - Maximum voltage: 1000 V -

Concentrated products



➤ Accessories: Concentrates



■ CONCENTRATE DILUTOR 16 L/M

Diluter. Concentrated liquids.



Secure and precise dosage - Ready to use dilution - -

Ref.technical do 520049 Sale code: 604192

Dimensions: 130 x 220 x 120 mm - Maximum temperature: 70 °C - Flow rate: 16 l/min - Manual switch - 2 - 5 l container support - Hose dispenser : 2 mts -

■ CONCENTRATE DILUTOR 4 L/M

Diluter. Concentrated liquids.



Secure and precise dosage - Ready to use dilution - -

Ref.technical do 520051 Sale code: 604190

Dimensions: 130 x 330 x 120 mm - Maximum temperature: 70 °C - Flow rate: 4 l/min - Lever - 2 - 5 l container support -

➤ Spare parts: Concentrates



■ ETIQUETA ECOMIX

ECOMIX system label. Product to be used.



For identification of the product contained in the canister - Includes information for the user -

Ref.technical do 520026 Sale code: 600333

Dimensions: 80 x 110 mm - Self-adhesive -

■ ETIQUETA XTREM

XTREM label. Product to be used.



For identification of the product contained in the canister - Includes information for the user -

Ref.technical do 520025 Sale code: 600459

Dimensions: 80 x 110 mm - Self-adhesive -



ETIQUETA NATURSAFE

NATURSAFE label. Product to be used.

Ref.technical do 520028

Sale code: 603019



For identification of the product contained in the canister - Includes information for the user -

Dimensions: 80 x 110 mm - Self-adhesive -

KIT TIPS

Kit calibrated nozzles. Diluter.

Ref.technical do 301524

Sale code: 600445



Dilution of XTREM concentrate products -

FILTER DILUTOR

Bottom Filter. Anti-return. Diluter.

Ref.technical do 305296

Sale code: 602942



Prevents liquid impurities from penetrating the diluter equipment - Concentrate Dilutor -

Plastic:Polyethylene - Color: Yellow - High chemical resistance - Anti-return fonction -

WALL PANEL

Wall holder. Diluter.



Allows installation of several diluters in the same space -

WALL PANEL 2 PRODUCTS

Ref.technical do 305074

Sale code: 600694

White - Plastic: PVC - Dimensions: 210 x 670 mm - No. diluters: 2 -

WALL PANEL 3 PRODUCTS

Ref.technical do 305270

Sale code: 603022

White - Plastic: PVC - Dimensions: 320 x 670 mm - No. diluters: 3 -

WALL PANEL 4 PRODUCTS

Ref.technical do 305272

Sale code: 603023

White - Plastic: PVC - Dimensions: 420 x 670 mm - No. diluters: 4 -



SUCITESA

PROFESSIONAL HYGIENE AND MAINTENANCE

Tel. +34 902 121411 - Fax. +34 902 121419

www.sucitesa.com

